

#### 检测报告 编号: SHAHL25010451101

**日期:** 2025年05月16日 第1页,共4页

客户名称: 江西英科医疗有限公司

江西省九江市彭泽县工业园彭湖湾园区垅太路东侧 客户地址:

样品名称:

一次性丁腈检查手套

以上样品及信息由客户提供。

SGS 号:	QDHL2505006080CW
收样日期:	2025年05月08日
检测周期:	2025年05月08日~2025年05月16日
检测要求:	根据客户要求检测。
执行的检测:	按照客户要求进行下列选定的检测。

通标标准技术服务(上海)有限公司 授权签名

何佳祺

Kiki He 何佳琪 批准签署人



报告验真请访问 check.sgsonline.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: <u>CN.Doccheck@sgs.com</u>

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899

sgs.china@sgs.com



# 检测报告 编号: SHAHL25010451101

**日期:** 2025年05月16日

### 第2页,共4页

	检测要求	说明
1	GB 4806.11-2023 - N-亚硝胺和 N-亚硝胺可生成物迁移量	符合



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com").

0.1.1.d 3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn t HL (86–21) 61402594 f HL (86–21)61156899 sgs.china@sgs.com



## 检测报告 编号: SHAHL25010451101

### 日期: 2025年05月16日

检测结果:

### 检测部件外观描述:

样品序 号	样品编号	SGS 样品 ID	样品描述	材料 (客户提供)
SN1	A1	SHA25-0104511-0001.C001	蓝色手套	丁腈橡胶

备注:

- mg/dm<sup>2</sup> = 毫克每平方分米 mg/inch<sup>2</sup>=毫克每平方英寸 μg/cm<sup>2</sup> = 微克每平方厘米 mg/L = 毫克每升 mg/kg = 毫克每千克
- (2) °C = 摄氏度
  °F = 华氏度
- (3) <= 小于
- (4) RL= 报告检出限
- (5) ND = 未检出( < RL)。

### GB 4806.11-2023 - N-亚硝胺和 N-亚硝胺可生成物迁移量

检测方法: 参考 GB 31604.1-2023,采用 GC-MS 进行分析。

模拟液	检测条件
1天3以7汉	A1
4% 乙酸 (V/V)	40°С,0.5 hrs

检测项目	限值	单位	RL	A1
4% 乙酸 (V/V)				
迁移次数				第一次
N-亚硝胺迁移量	ND	mg/kg	0.01	ND
N-亚硝胺可生成物迁移量	ND	mg/kg	0.10	ND
说明	·			符合

备注:

(1) N-亚硝胺检测项目: N-亚硝基二甲基胺(NDMA), N-亚硝基二乙基胺(NDEA), N-亚硝基二丙基胺 (NDPA), N-亚硝基二丁基胺(NDBA), N-亚硝基哌啶(NPIP), N-亚硝基吡咯烷(NPYR), N-亚硝基吗啉 (NMOR), N-亚硝基二苄胺(NDBzA), N-亚硝基-N-甲基苯胺(NMPhA), N-亚硝基-N-乙基苯胺(NEPhA), N-亚硝基- N,N -二(3,5,5 - 三甲基己基)胺(NDiNA)和 N-亚硝基二异丁胺(NDiBA)。 除非另有说明,参照 ILAC-G8:09/2019,使用简单接受(w=0)的二元判定规则进行符合性判定。 除非另有说明,此报告结果仅对检测的样品负责。本报告未经本公司书面许可,不可部分复制。 检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的,仅供内部参考。



	Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Conditions_Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's solid responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document does not exonerate parties to a transaction from exercising all their rights and obligations unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: <u>CN.Doccheck@sgs.com</u>
1	3 <sup>rd</sup> Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)64953679 www.sgsgroup.com.cn

1. 3<sup>v3</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 t E&E (86–21) 61402553 f E&E (86–21)644953679 www.sgsgroup.com. 中国・上海・徐江区宜山路889号3号楼 邮编: 200233 t HL (86–21) 61402594 f HL (86–21)61156899 sgs.china@sgs.com





此照片仅限于随 SGS 正本报告使用

\*\*\*报告结束\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction force wereising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国・上海・徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21) 61156899

sgs.china@sgs.com